



Zebra GK420d label printer Direct thermal 203 x 203 DPI 127 mm/sec Wired Ethernet LAN

Brand : Zebra

Product code: GK42-202211-000

Product name : GK420d

GK420d, DT, 203dpi, EPL2, ZPL II, USB, Serial, 10/100 internal Ethernet, Dispenser (Peeler), US Cord

[Zebra GK420d label printer Direct thermal 203 x 203 DPI 127 mm/sec Wired Ethernet LAN:](#)

These desktop label printers offer a basic, affordable option for companies who want to start automating.

Used For:

- Asset Management
- Bag Tag
- Document & Records Management
- Inventory Management
- Lab Sample Tracking
- Receiving/Shipping
- Reverse Logistics
- Work-in-Process Tracking
- Person ID & Access Control
- Security
- Invoices & Receipts
- Prescription Writing
- Compliance Labeling
- Dietary
- Information Labels
- Medical Record Labeling
- Order Labeling
- Photo Processing Labels
- Prescription Labeling
- Price Labeling
- Quality Control
- Radiology

GK420d Desktop Printer

Print wider labels and more with compact desktop label printers that fit your needs. These versatile direct thermal label printers are ideal for a variety of applications.

Printing		Performance	
Print technology *	Direct thermal	Certification	FCC 15, VCCI, C-Tick, EN55022 B, EN6100-3-2, EN6100-3-3, EN55024, CCC CB IEC 60950: 1991 +A1 +A2 + A3 +A4, TUV NRTL, IRAM, NOM, AAMI
Colour *	✗		
Maximum resolution *	203 x 203 DPI		
Print speed *	127 mm/sec		
Paper handling		Design	
Maximum print size	104 x 991 mm	Product colour *	Grey
Maximum label width	10.8 cm	Power	
Maximum label length	0.991 m	Power requirements	100 - 240 VAC, 50 - 60 Hz
Maximum roll diameter	12.7 cm	Operational conditions	
Media thickness	0.08 - 0.2 mm	Operating relative humidity (H-H)	10 - 90%
Media thickness (imperial)	0.003 - 0.0075"	Storage relative humidity (H-H)	5 - 95%
Ports & interfaces		Operating temperature (T-T)	40 - 105 °F
Connectivity technology *	Wired	Operating temperature (T-T)	5 - 41 °C
Ethernet LAN *	✓	Storage temperature (T-T)	-40 - 60 °C
Wi-Fi *	✗	Storage temperature (T-T)	-40 - 140 °F
RS-232 ports	1	Weight & dimensions	
RS-232 interface	✓	Width	171 mm
USB 1.1 ports quantity	1	Depth	209 mm



Ports & interfaces		Weight & dimensions	
Standard interfaces	Ethernet	Height	152 mm
Optional connectivity	Parallel	Weight	1.4 kg
Performance		Packaging data	
Page description languages	EPL, EPL2, XML, ZPL, ZPL II	Package weight	3.2 kg
Internal memory	8 MB	Package type	Box
Flash memory	4 MB	Packaging content	
Built-in barcodes	1D, 2D, Code 128 (A/B/C), Code 39, Code 49, Code 93, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, Matrix 2/5, MaxiCode, PDF417, POSTNET, QR Code, UPC-A, UPC-E	Cables included	AC
Built-in processor	32-bit RISC		



0659135017812



659135017812

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.