



Zebra ZT220 label printer Direct thermal 203 x 203 DPI 152 mm/sec Wired Ethernet LAN

Brand : Zebra

Product code: ZT22042-D01200FZ

Product name : ZT220

ZT220, 4", 203 dpi, Direct thermal, US power cord, Serial, USB, & Ethernet interface, Tear bar included

Zebra ZT220 label printer Direct thermal 203 x 203 DPI 152 mm/sec Wired Ethernet LAN:

Zebra incorporated extensive customer feedback, as well as the legacy of our industry leading Stripe and S4M printers, to create the new ZT200 Series family of printers with elegant space saving design, effortless setup, intuitive user operation, and ease of service and maintenance.

ZT220

- Zebra's most affordable tabletop printer
- Durable high-impact polymer case for long-lasting use
- 300 m/984' ribbon capacity
- Simple single-use three-button user interface
- Ideally suited for barcode labeling applications where minimal format or printer setting changes are required.

Zebra ZT220. Print technology: Direct thermal, Maximum resolution: 203 x 203 DPI, Print speed: 152 mm/sec. Connectivity technology: Wired, Ethernet LAN, USB port. Supported paper width: 114 mm. Product colour: Black



Printing		Performance	
Print technology *	Direct thermal	Certification	IEC 60950, EN 55022 Class B, EN 55024, EN 61000-3-2, EN 61000-3-3 cTUVus, CE Marking, FCC-B, ICES-003, VCCI, C-Tick, NOM, S Mark, CCC, GOST-R, KCC, BSMI, UkrSepuro
Maximum resolution *	203 x 203 DPI		
Print speed *	152 mm/sec		
Maximum printing width *	10.4 cm		
Maximum print height	3.99 m		
Paper handling		Design	
Ribbon width	11 cm	Product colour *	Black
Ribbon length	300 m	Housing material	Plastic
		Power	
Media thickness	0.076 - 0.25 mm	Power requirements	100-240 VAC, 47-63 Hz
		Operational conditions	
Media thickness (imperial)	0.003 - 0.010"	Operating relative humidity (H-H)	20 - 85%
Supported paper width	114 mm	Storage relative humidity (H-H)	5 - 85%
Supported paper width (imperial)	4.5"	Operating temperature (T-T)	40 - 105 °F
Maximum media length	99.1 cm	Operating temperature (T-T)	5 - 40 °C
Maximum media length (imperial)	39"	Storage temperature (T-T)	-40 - 60 °C
Ports & interfaces		Storage temperature (T-T)	-40 - 140 °F
Connectivity technology *	Wired	Weight & dimensions	
Ethernet LAN *	✓	Width	239 mm
Wi-Fi *	✗	Depth	432 mm
USB port *	✓	Height	280 mm
PC connected	✓	Weight	7.8 kg
USB 2.0 ports quantity	1	Technical details	
RS-232 ports	1	Sustainability certificates	ENERGY STAR
RS-232 interface	✓		
Performance			
Internal memory	128 MB		
Flash memory	128 MB		

Performance		Other features	
Built-in barcodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, Code 49, Code 93, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, POSTNET, QR Code, TLC39, UPC-A, UPC-E	Media types supported Networking features LED indicators	Continuous, die-cut, notch, black mark Fast Ethernet ✓

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.